

SEVENTH FRAMEWORK PROGRAMME OF THE EUROPEAN UNION

Support for training and career development of researchers  
(Marie Curie)  
Networks for Initial Training (ITN)

**FP7- PEOPLE-2011-ITN**

# Initial Technical Report

Work-package: 6  
Deliverable: D6.1  
Output of task: T1.1  
Date: 29-11-2012

Delivered by:  
**AQUILAB (Partner 1)**

**Project Number 290148**



Software for the Use of Multi-Modality images in External Radiotherapy



## Copyright

All rights in the content of this document are owned by or controlled for these purposes by the fellows of the Partner identified on the first page of this document.

The content of this document is freely accessible but it may not be copied, reproduced, republished, downloaded, posted, broadcast or transmitted in any way without first obtaining Author's written permission or that of the copyright owner.

You can refer to this document by proper citation.

Original source of this report: <http://summer-project.eu/work/>

## 1. Preface

This report takes the technical annex (annex I) of the Contract as background. The document is meant to provide some initial guidance for platform choices, interfaces, abstraction layers, software modules, communication and collaboration.

## 2. Introduction

This section provides an overview of a high-level system architecture which accommodates RT planning preparation by determining precisely the biological target volume and a short introduction to the various components involved in such a system.

### 2.1. Overall system architecture




Figure 1: Overall system architecture

Figure 1 demonstrates the overall architecture of a general system for radiation therapy planning preparation using multi-modal images. The next few sections give brief descriptions of the specific components involved in such a system.

### 2.2. The patient

The patient is the primary source of information in the total system. Since the challenge for radiation therapy is to reach the highest probability of cure with the least morbidity, the patient is the centre of attention in such a system design.

### 2.3. Database

A large database will be generated by the different clinical-focused teams of the consortium, again of complementary type (physical or numerical phantoms, patient data, with or without respiratory gating). This reference database is essential to test and validate the developed methods and the platform at each step of the development.

## **2.4. Anatomical Imaging**

In radiation therapy, treatment planning is traditionally based on computed tomography (CT) and magnetic resonance imaging (MRI). These radiological investigations have the significant advantage to show the anatomy with a high resolution.

These structural imaging are typically used, registered to other modalities, to precisely locate the tumor. And, due to their high definition of anatomical parts, they are also used for the delineation of the organs at risks.

## **2.5. Functional imaging**

Anatomical imaging has its limitations in tumor affected structures of normal or equivocal morphology like lymph nodes for instance. So in order to complete information given by CT and MRI, functional images will be used to visualize metabolic pathways and information on tumor biology.

Positron-Emission Tomography (PET) used with a FDG tracer shows the glucose metabolism that is increased in most solid and lymphatic malignancies, such a metabolism is not visible on a CT. Magnetic Resonance Spectroscopy (MRS) can provide metabolic map of a lesion and is able to distinguish recurrent tumor from radiation necrosis or radiation injury. Finally, fMRI (functional MRI) is mainly used in brain affection, to monitor growth and function of any remaining brain tumor following the treatment.

## **2.6. Multimodal Registration**

Non-rigid image registration is a fundamental task in medical image processing. Among its most important applications, one may cite multi-modality fusion, where information acquired by imaging devices or protocols is fused to facilitate diagnosis and treatment planning or to align temporal sequences of images to compensate for motion of the subject between scans; pre and post treatment (potentially with large deformations) image fusion, in order to see the treatment progress.

## **2.7. Biological Target Volume Delineation**

The challenge is RT treatment is to have the most precise contour of the lesion, in order to optimize dose distribution. This component incorporates methods for automatic and semi-automatic segmentation of the biological target volume, based on functional and structural images.

## **2.8. Organs at risks Delineation**

In the same way, a precise knowledge of the organs at risks' position will ensure a minimal dose delivery and consequently minimal side effects due to the radiation. This component consists of the development of automatic methods for the segmentation of organs at risk delineation.

## **2.9. Information fusion**

All the previously defined segmentation methods will produce different delineation results. Information fusion consists here to find an intelligent method producing a kind of consensus between all the generated contours identified in different modalities, in order to present a final result to the user.

## **2.10. Adaptive visualisation**

Adaptive visualisation involves tasks such as providing a re-usable, extendable and scalable rendering framework implementing the different concepts, but also investigating a data specific (CT, MRI, MRS...) and task specific (BTV, OAR delineations...) visualization for multi-modal images.

## **2.11. Interface ergonomics**

This task consists of improving human computer interfaces through ergonomic researches. By establishing user requirements, gathering focus group to extract expert knowledge and collecting needs of clinical users, intuitive presentations and mechanisms can be designed to test the integrated demonstrators.

## **2.12. RT planning preparation**

This component refers to the final objective of the project, i.e. the planning of the radiotherapy treatment. Once the biological target volume is well delineated and the organs at risks are well-localized, the dose to be delivered can be planned by the specialist.

## **2.13. Clinical user**

Second to the patient, the most important element of the system is the clinical user. The user interface and workflow design will be user centered as described in Annex I of the Contract.

## **2.14. Embedded knowledge**

This system component refers to any information encoded into the system to provide embedded knowledge skills. The embedded knowledge will be distributed in various components.

# **3. Platforms, modules and interfaces**

The most important is to create a working environment which is comfortable and easy-to-use for the researchers. All the following tools have been chosen in order to facilitate the work and the cohesion between the partners.

## **3.1. Platforms, Modules and Interfaces**

Each researcher is free to choose its operating system (Windows or Linux), but at the end, his software has to compile under Windows and C++.

## **3.2. SVN**

A subversion server (SVN) has been set up to manage the consortium code base. The repository can be checked out from [**PRIVATE**].

A user with read-only access to the repository has been added to the system so that all SUMMER members can browse the repository. The username and password are:

username: [**PRIVATE**]

password: [**PRIVATE**]

All members of SUMMER who are involved in the development of software will get a user with read-write access to the repository.

## **3.3. Confluence**

The Confluence software has been chosen to create a common exchange platform for the researchers. The platform contains all the information about the project (annexe1, formal documents, work packages description and tasks), but also an overview of the project progress (deliverables, milestones) and finally an open forum to discuss and exchange ideas on the project (for example, how to use the MITK library).

## **3.4. MITK**

One of the challenges of the project is to find a common development platform in order to standardize the work of each partner. The choice of this platform is important and should be easy-to-use in order to provide a unique prototype combining all the developments at the end of the project.

The Medical Imaging Interaction Toolkit (MITK) has been selected. It is a free open-source software system for the development of interactive medical image processing tools. MITK combines the Insight Toolkit (ITK) and the Visualization Toolkit (VTK) with an application framework. As a toolkit, MITK offers features that are relevant for the development of interactive medical imaging software such as segmentation and registration tools.

### 3.5. Initial list of software modules

This list comprises some of the software modules which are needed in the final system. It is by no means an extensive list since all of the requirements of the final system are not known at the time of writing.

- Boost: a collection of class libraries for C++ (from math to threading, built on Standard C++ and highly portable).
- Qt: a development framework with tools designed to streamline the creation of applications and user interfaces for desktop, embedded and mobile platforms.
- CTK (Common Toolkit): a toolkit combining VTK and Qt to propose DICOM, DICOM application hosting, widgets, and plugin framework.
- GDCM: a C++ library dedicated to reading/parsing and writing DICOM medical files.
- DCMTK: a collection of libraries and applications implementing large parts the DICOM standard (for examining, constructing and converting DICOM image files).
- OpenCV (Open Source Computer Vision): a library of programming functions for real time computer vision.

### 3.6. Data Structure

A data structure has been created in order to standardize the different developments. This structure shall be the reference for all the developed functions. That means inputs and outputs of functions shall be in this format for images.

The structure is divided into three parts:

- A first class Volume3D defines how the 3D volume is stored in the memory (a tridimensional array of float stored in z, y, x). It gives access to a pointer on the volume (VoxelArrayConstRef dataArray()), the size of the voxels (in mm), the dimensions of the volume (in voxels) and the registration matrix if needed.
- A structure FrameInfo stores information about each frame to load in volume3D.
- An additional function (LoadVolumeFromDicomFiles) has been created in order to load a volume from a list of DICOM files. It first reads each DICOM files and stores each FrameInfo in a list in order to create the Volume3D. Finally, the function LoadVolumeInVTK converts the Volume3D in VTK type vtkSmartPointer<vtkImageImport>.

### 3.7. DICOM format

The DICOM format is a standard format for medical images. CT, MRI and PET are using this format to encode the images.

New imaging techniques such as fMRI and MRS actually have a DICOM format described in the standard. But this format is not always applied by the manufacturers. So a study will have to be led to verify if fMRI and MRS use a unique format or not.

### 3.8. Data exchange

AQUILAB Share Place will be used to centralize the data from the different partners, constituting the database for the project. The project members will use this secured solution to share and exchange any data.

Share Place includes an exclusive technology that ensures state-of-the-art encryption and security, automatic DICOM/DICOM-RT anonymisation and robust capabilities to save, retrieve, and trace any data in a secured environment.

## 4. Machine specifications

Each partner will have to precisely specify what the prerequisites to use its development are to complete this document and obtain the D6.2 deliverable.

### 4.1. Hardware

- It is preferable to not require any cluster.
- The list of hardware requirements (if any) will be defined and be included in D6.2

## **4.2. Software**

- The list of additional software required needs to be defined and be included in D6.2